

## Xceptor Labs

Fallbrook, CA 92028  
 mark@xceptorlabs.com  
 (760) 990-3091  
 Lic. #

Sample: 2305DBL0027.1028.R1  
 METRC Sample:

Strain: N/A

Ordered: 05/09/2023; Sampled: 05/09/2023; Completed: 05/23/2023; Analyzed: 05/12/2023

## 25mg Capsules

Ingestible, Capsule



Pesticides



Microbials



Mycotoxins



Heavy Metals



Foreign Matter



Solvents

### Terpenes

Analyzed by 300.13 GC/FID and GC/MS

NT  
 Total Terpenes

Compound	LOQ	Mass	Mass
----------	-----	------	------

### Cannabinoid Relative Concentration

Analyzed by 300.18 UHPLC/PDA

Not Tested

<LOQ                      23.169 mg/unit  
 Δ9-THC + Δ8-THC                      CBD

pH:                      NT  
 Aw:                      NT

23.275 mg/unit  
 Total Cannabinoids

Not Tested  
 Homogeneity

Compound	LOQ	Mass	Mass	Relative Concentration
	mg/unit	mg/unit	mg/g	
CBC	0.051	<LOQ	<LOQ	
CBCa	0.051	<LOQ	<LOQ	
CBD	0.051	23.169	24.958	
CBDa	0.051	<LOQ	<LOQ	
CBDV	0.051	0.106	0.114	
CBDVa	0.051	<LOQ	<LOQ	
CBG	0.051	<LOQ	<LOQ	
CBGa	0.051	<LOQ	<LOQ	
CBL	0.051	<LOQ	<LOQ	
CBN	0.051	<LOQ	<LOQ	
Δ8-THC	0.051	<LOQ	<LOQ	
Δ9-THC	0.051	<LOQ	<LOQ	
THCa	0.051	<LOQ	<LOQ	
THCV	0.051	<LOQ	<LOQ	
THCVa	0.051	<LOQ	<LOQ	

1 Unit = 25mg Capsules, 0.92831g

Total THC = 0.877 x THC-A + Δ9-THC + Δ8-THC; Total CBD = CBDa \* 0.877 + CBD



Notes: Updated sample picture. Updated foreign matter status.



Glen Marquez  
 Laboratory Director

Sherri Defreese  
 Quality Control



4439 Polaris Ave  
 Las Vegas, NV  
 (702) 728-5180  
 www.dblabslv.com

DB Labs will not discuss any part of this study with personnel other than those authorized by the client, this report is considered highly confidential and the sole property of the client. This Certificate shall not be reproduced except in full, without the written approval of DB Labs. The results described in this report only apply to the samples analyzed. Edibles are picked up prior to final packaging unless otherwise stated. The reported result is based on a sample weight with the applicable moisture content for that sample. LOQ=Limit of Quantitation, Pesticide LOQ=Instrument Limit of Quantitation, NA=Not Applicable, ND=Not Detected, NR=Not Reported, NT=Not Tested, TNC=Too Numerous to Count (microbial), PGR=Plant Growth Regulator. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. DB Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Action levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The "Decision Rule" for the pass/fail does not include the UM. The UM associated with the result reported in this certificate is available upon request. This product has been tested by DB Labs, LLC (MME# 61887736101164525768) using a quality system and valid testing methodologies as required by Nevada Regulations. The limits are based on NV regulations.

## Xceptor Labs

Fallbrook, CA 92028  
 mark@xceptorlabs.com  
 (760) 990-3091  
 Lic. #

Sample: 2305DBL0027.1028.R1  
 METRC Sample:

Strain: N/A  
 Ordered: 05/09/2023; Sampled: 05/09/2023; Completed: 05/23/2023; Analyzed: 05/12/2023

## 25mg Capsules

Ingestible, Capsule



### Pesticides

Analyzed by 300.9 LC/MS/MS and GC/MS/MS

Pass

Compound	LOQ	Limit	Mass	Status
	PPB	PPB	PPB	
Abamectin	10	200	<LOQ	Pass
Acequinocyl	10	4000	<LOQ	Pass
Bifenazate	10	400	<LOQ	Pass
Bifenthrin	10	100	<LOQ	Pass
Cyfluthrin	10	2000	<LOQ	Pass
Cypermethrin	10	1000	<LOQ	Pass
Daminozide	10	800	<LOQ	Pass
Dimethomorph	10	2000	<LOQ	Pass
Etoxazole	10	400	<LOQ	Pass
Fenhexamid	10	1000	<LOQ	Pass
Flonicamid	10	1000	<LOQ	Pass
Fludioxonil	10	500	<LOQ	Pass
Imidacloprid	10	500	<LOQ	Pass
Myclobutanil	10	400	<LOQ	Pass
Paclbutrazol	10	400	<LOQ	Pass
Piperonyl Butoxide	10	3000	<LOQ	Pass
Pyrethrins	10	2000	<LOQ	Pass
Quintozene	10	800	<LOQ	Pass
Spinetoram	10	1000	<LOQ	Pass
Spinosad	10	1000	<LOQ	Pass
Spirotetramat	10	1000	<LOQ	Pass
Thiamethoxam	10	400	<LOQ	Pass
Trifloxystrobin	10	1000	<LOQ	Pass
Plant Growth Regulators	10	50	<LOQ	Pass

### Microbials

Analyzed by 300.1 Plating/QPCR

Pass

Quantitative Analysis	LOQ	Limit	Mass	Status
	CFU/g	CFU/g	CFU/g	
Aerobic Bacteria	1000	100000	<LOQ	Pass
Bile-Tolerant Gram-Negative Bacteria	100	1000	<LOQ	Pass

Qualitative Analysis	Detected or Not Detected	Status
E. Coli	Not Detected	Pass
Salmonella	Not Detected	Pass

### Mycotoxins

Analyzed by 300.2 Elisa

Not Tested

Mycotoxin	LOQ	Limit	Mass	Status

### Heavy Metals

Analyzed by 300.8 ICP/MS

Pass

Element	LOQ	Limit	Mass	Status
	PPB	PPB	PPB	
Arsenic	52	2000	<LOQ	Pass
Cadmium	52	820	<LOQ	Pass
Lead	52	1200	<LOQ	Pass
Mercury	52	400	<LOQ	Pass

### Residual Solvents


Analyzed by 300.13 GC/FID and GC/MS

Pass

Compound	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Butanes	70	500	<LOQ	Pass
Ethanol	70		78	Tested
Heptanes	70	500	<LOQ	Pass
Propane	70	500	<LOQ	Pass



  
 Glen Marquez  
 Laboratory Director

  
 Sherri Defreese  
 Quality Control



4439 Polaris Ave  
 Las Vegas, NV  
 (702) 728-5180  
 www.dblabslv.com

DB Labs will not discuss any part of this study with personnel other than those authorized by the client, this report is considered highly confidential and the sole property of the client. This Certificate shall not be reproduced except in full, without the written approval of DB Labs. The results described in this report only apply to the samples analyzed. Edibles are picked up prior to final packaging unless otherwise stated. The reported result is based on a sample weight with the applicable moisture content for that sample. LOQ=Limit of Quantitation, Pesticide LOQ=Instrument Limit of Quantitation, NA=Not Applicable, ND=Not Detected, NR=Not Reported, NT=Not Tested, TNC=Too Numerous to Count (microbial), PGR=Plant Growth Regulator. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. DB Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Action levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The "Decision Rule" for the pass/fail does not include the UM. The UM associated with the result reported in this certificate is available upon request. This product has been tested by DB Labs, LLC (MME# 61887736101164525768) using a quality system and valid testing methodologies as required by Nevada Regulations. The limits are based on NV regulations.